

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 January 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
1/1																			
1/2																			
1/3																			
1/4	278	16	20	16	12	2	6	16	2	4	4	4	14	8	12	8	10	8	8
1/5																		4	8
1/6																			
1/7																			
1/8																			
1/9																			
1/10																			
1/11	<2	2	2	<2	2	2	<2	>400	4	4	2	2	4	<2	<2	<2	2	<2	<2
1/12																		4	8
1/13																			
1/14																			
1/15																			
1/16																			
1/17																			
1/18	2	8	30	<2	<2	6	12	2	10	2	2	6	4	<2	4	12	6	4	2
1/19																		4	8
1/20																			
1/21																			
1/22																			
1/23																			
1/24																			
1/25	10	16	16	<2	<2	<2	4	36	<2	2	<2	<2	<2	<2	<2	2	<2	<2	<2
1/26																		6	4
1/27																			
1/28																			
1/29																			
1/30																			
1/31																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
48	8	10																		
16	16		2	4	28	14	2	<2	<2	6	2	70	210			<2	<2	<2		142
2	6	>400																		
4	8		10	18	10	10	<2	14	4	32	38	102	2	14	>400	2	2	4		56
62	64	36																		
24	16		20	16	22	8	2	<2	<2	2	4	168	10	<2	240	<2	<2	<2		18
2	4	32																		
8	8		16	36	4	2	<2	2	4	16	<2	56	8	<2	2	2	<2	<2		8

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
<2	<2	<2	64	4
4	<2			<2
2	2	2	62	4
<2	<2	<2	62	<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.