

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 April 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
4/1																				
4/2																				
4/3																				
4/4																				
4/5	10	74	10	<2	<2	<2	<2	30	6	10	46	2	<2	2	4	<2	2	8	<2	
4/6																		4	4	
4/7																				
4/8																				
4/9																				
4/10																				
4/11																				
4/12	8	30	6	<2	4	6	<2	<2	42	50	116	44	86	22	26	54	30	32	34	
4/13																		8	4	
4/14																				
4/15																				
4/16																				
4/17																				
4/18																				
4/19	110	2	4	18	6	4	4	14	4	4	8	22	12	114	16	4	50	16	12	
4/20																		42	66	
4/21																				
4/22																				
4/23																				
4/24																				
4/25																				
4/26	4	14	36	2	<2	4	2	8	<2	4	<2	6	4	4	<2	2	<2	<2	4	
4/27																		<2	2	
4/28																				
4/29																				
4/30																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
<2	<2	18																	
<2	2		20	22	2	<2	<2	<2	2	4	122	280	4			<2	<2	<2	22
22	8	30																	
16	<2		10	2	2	4	232	10	8	4	<2	202	18	2	>400	6	<2	4	70
							2												
8	16	6																	
54	44		74	50	50	44	34	28	12	12	8	222	<2			10	<2	2	48
<2	<2	2																	
<2	4		32	4	4	6	<2	2	4	4	6	216	<2	6	>400	2	<2	<2	44

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
<2	2	<2	80	<2
2	<2			16
<2	2	20	146	<2
2	4			2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.