

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 April 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
4/1																				
4/2																				
4/3																				
4/4	34	54	26	4	4	6	6	<2	4	6	8	12	6	4	4	4	<2	2	2	
4/5																		<2	<2	
4/6																				
4/7																				
4/8																				
4/9																				
4/10																				
4/11	4	20	<2	<2	20	<2	22	2	2	<2	<2	<2	<2	2	<2	<2	<2	2	<2	
4/12																		<2	8	
4/13																				
4/14																				
4/15																				
4/16																				
4/17																				
4/18	6	6	8	<2	<2	<2	<2	<2	2	2	<2	<2	<2	2	2	<2	4	14	2	
4/19																		4	2	
4/20																				
4/21																				
4/22																				
4/23																				
4/24																				
4/25	12	42	12	<2	2	4	4	2	<2	2	4	2	10	8	2	<2	<2	2	2	
4/26																		2	2	
4/27																				
4/28																				
4/29																				
4/30																				
5/1																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
<2	4	58																		
4	6		<2	8	6	8	6	10	12	<2	<2	140	2	2	W400	<2	<2	<2	186	
<2	2	24																		
<2	2		4	12	16	2	20	14	2	10	14	>400	326	<2	272	2	<2	6	38	
12	<2	<2																		
16	<2		8	20	18	6	6	8	14	6	<2	148	6	<2	>400	6	2	6	294	
2	<2	6																		
2	<2		2	2	<2	<2	2	4	8	2	2	232	<2	2	324	<2	<2	2	280	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
2	2	<2	180	2
<2	<2	<2	128	<2
<2	2	<2	248	4
<2	<2	<2	182	10

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.