

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 April 2024

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
4/1																			
4/2	2	14	16	<2	<2	<2	6	2	<2	12	8	14	4	2	2	<2	<2	4	8
4/3																		2	<2
4/4																			
4/5																			
4/6																			
4/7																			
4/8																			
4/9	<2	6	10	<2	<2	<2	<2	4	2	2	<2	2	2	2	<2	2	<2	2	2
4/10																		<2	<2
4/11																			
4/12																			
4/13																			
4/14																			
4/15																			
4/16	4	4	2	<2	<2	<2	4	<2	<2	2	2	8	2	<2	<2	<2	<2	<2	<2
4/17																		2	<2
4/18																			
4/19																			
4/20																			
4/21																			
4/22																			
4/23	34	80	38	<2	4	2	2	4	4	<2	<2	14	<2	12	<2	2	6	2	<2
4/24																		2	4
4/25																			
4/26																			
4/27																			
4/28																			
4/29																			
4/30	24	6	2	2	<2	2	<2	2	<2	<2	2	4	6	4	6	<2	<2	2	<2
5/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
8	40		>400																	
2	114	8		4	<2	<2	<2	2	<2	4	14	>400	6	8	>400	<2	4	4	>400	
<2	20		4																	
2	2	<2		10	<2	2	4	8	2	20	6	260	40			2	<2	4	230	
<2	<2		52																	
4	14	2		2	<2	<2	<2	14	<2	6	4	140	10	6	W400	<2	<2	<2	62	
<2	<2		4																	
<2	8	6		2	<2	2	<2	2	<2	<2	8	178	50			<2	<2	<2	126	
<2	<2		2																	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
<2	12	20	>400	2
<2	2	<2	240	6
<2	6	2	184	<2
<2	4	2	98	4

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CONF - Confluence

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.