

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 August 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
8/1	38	32	24	2	<2	4	12	<2	6	2	4	6	8	10	4	14	10	12	16
8/2																		2	20
8/3																			
8/4																			
8/5																			
8/6																			
8/7																			
8/8	16	6	<2	2	<2	<2	2	<2	>6	4	4	4	<2	2	6	<2	<2	<2	<2
8/9																		<2	2
8/10																			
8/11																			
8/12																			
8/13																			
8/14																			
8/15	94	16	4	<2	<2	<2	<2	4	76	6	12	8	6	10	4	8	4	18	>400
8/16																		20	94
8/17																			
8/18																			
8/19																			
8/20																			
8/21																			
8/22	374	>400	>400	26	4	16	14	4	6	4	4	14	2	18	10	10	16	22	8
8/23																		46	12
8/24																			
8/25																			
8/26																			
8/27																			
8/28																			
8/29	76	118	104	14	6	6	4	12	104	42	18	12	14	24	<2	6	4	40	42
8/30																		10	20
8/31																			
9/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
6	6		4																
2	2	2		8	6	2	18	<2	4	8	28	>400	80			<2	12	4	>400
<2	<2		<2																
2	8	<2		<2	<2	<2	2	2	<2	2	<2	>400	2	<2	>400	<2	<2	8	336
14	<2		<2																
8	4	2		<2	2	<2	2	2	<2	4	310	W400	>400			2	8	<2	>400
32	16		148																
8	6	54		<2	<2	<2	<2	8	2	10	18	>400	28	2	>400	2	4	<2	>400
36	14		8																
48	4	12		26	6	8	<2	4	<2	12	14	>400	72	2	>400	4	4	2	>400

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CONF - Confluence
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
6	<2	<2	>400	4
2	2			2
<2	138	134	W400	102
4	14	8	>400	6
4	4	6	318	2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.