

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 January 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3U	HB3	HB3D	21N
1/1																			
1/2																			
1/3	154	164	140	110	70	50	60	40	38			42			100			82	70
1/4																			
1/5																			
1/6																			
1/7																			
1/8																			
1/9																			
1/10	>400	>400	>400	40	50	114	52	72	102	190	>400	350	324	>400	>400	>400	>400	>400	408
1/11																			
1/12																			
1/13																			
1/14																			
1/15																			
1/16																			
1/17	292	264	254	94	138	126	150	278	356	274	>400	264			220			214	254
1/18																			
1/19																			
1/20																			
1/21																			
1/22																			
1/23																			
1/24	44	66	24	12	48	>400	34	10	22			12			18			14	<2
1/25						8													
1/26																			
1/27																			
1/28																			
1/29																			
1/30																			
1/31	2	28	6	24	8	4	36	8	6			8			6			12	4
2/1																			

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB4U	HB4	HB4D	HB5U	HB5	HB5D	15N	12N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S
206	W400	102			>400	236	42	38 80	80 82	98 104	212 134	>400	86	134	52	178	>400	86	14
>400	>400	50	216	>400	68	106	46	58 24	32 58	22 82	44 48	60	12	>400	>400	>400	74	36	14
		204			168	140	238	156 46	174 110	226 252	312 212	>400	118	>400	>400	>400	182	168	98
		6			8	8	8	8 2	18 14	20 28	48 24	18	14	26	40	34	26	10	34
		2			2	<2	8	4	18	20	222	>400							

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD
102	202	>400	>400	36	>400	20	100	32	>400	34	100	36	>400	20
24	76	>400	14	6	>400	6	4	34	>400	16	8	14	>400	94
86	>400	>400	>400	28	>400	18	46	36	212	14	36	38	222	96
16	48	112	24	22	>400	10	10	38	62	6	10	8	128	8

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.