

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 July 2023

| Date | OSB03 | OSB05 | OSB04 | OSB01 | OSUB1 | 39N | 33N | BCO-1 | 27N | HB1D | HB2D | HB3D | 21N | HB4D | HB5D | 15N | 12N | 9N | 6N |
|------|-------|-------|-------|-------|-------|-----|-----|-------|-----|------|------|------|-----|------|------|-----|-----|----|----|
| 7/1 | | | | | | | | | | | | | | | | | | | |
| 7/2 | | | | | | | | | | | | | | | | | | | |
| 7/3 | | | | | | | | | | | | | | | | | | | |
| 7/4 | | | | | | | | | | | | | | | | | | | |
| 7/5 | 54 | 40 | 16 | <2 | <2 | 4 | 6 | 8 | 4 | 10 | 4 | 6 | 2 | <2 | 2 | 4 | 2 | 4 | 2 |
| 7/6 | | | | | | | | | | | | | | | | | | 2 | 2 |
| 7/7 | | | | | | | | | | | | | | | | | | | |
| 7/8 | | | | | | | | | | | | | | | | | | | |
| 7/9 | | | | | | | | | | | | | | | | | | | |
| 7/10 | | | | | | | | | | | | | | | | | | | |
| 7/11 | <2 | 2 | <2 | 6 | 2 | 2 | 4 | <2 | <2 | 6 | <2 | 2 | <2 | 4 | 2 | 4 | <2 | <2 | 2 |
| 7/12 | | | | | | | | | | | | | | | | | | <2 | <2 |
| 7/13 | | | | | | | | | | | | | | | | | | | |
| 7/14 | | | | | | | | | | | | | | | | | | | |
| 7/15 | | | | | | | | | | | | | | | | | | | |
| 7/16 | | | | | | | | | | | | | | | | | | | |
| 7/17 | | | | | | | | | | | | | | | | | | | |
| 7/18 | 16 | <2 | <2 | 4 | <2 | 4 | 2 | 4 | <2 | 16 | 8 | 2 | 2 | 10 | <2 | 2 | 6 | 14 | 8 |
| 7/19 | | | | | | | | | | | | | | | | | | 2 | <2 |
| 7/20 | | | | | | | | | | | | | | | | | | | |
| 7/21 | | | | | | | | | | | | | | | | | | | |
| 7/22 | | | | | | | | | | | | | | | | | | | |
| 7/23 | | | | | | | | | | | | | | | | | | | |
| 7/24 | | | | | | | | | | | | | | | | | | | |
| 7/25 | <2 | 8 | 2 | <2 | 2 | <2 | <2 | 4 | 2 | <2 | <2 | <2 | <2 | <2 | 2 | <2 | <2 | <2 | <2 |
| 7/26 | | | | | | | | | | | | | | | | | | 2 | <2 |
| 7/27 | | | | | | | | | | | | | | | | | | | |
| 7/28 | | | | | | | | | | | | | | | | | | | |
| 7/29 | | | | | | | | | | | | | | | | | | | |
| 7/30 | | | | | | | | | | | | | | | | | | | |
| 7/31 | | | | | | | | | | | | | | | | | | | |
| 8/1 | | | | | | | | | | | | | | | | | | | |

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

| 3N | 0 | TM | AR-N | 3S | 6S | 9S | 15S | 21S | 27S | 29S | BGCU | BGC | BGCD | PPCU | PPC | PPCD | 39S | WFCU | WFC |
|----|----|----|------|----|----|----|-----|-----|-----|-----|------|------|------|------|------|------|-----|------|------|
| | | | | | | | | | | | | | | | | | | | |
| 2 | 2 | | 6 | | | | | | | | | | | | | | | | |
| 4 | 6 | 12 | | 4 | 2 | 4 | 12 | <2 | 2 | 20 | 4 | 236 | 4 | 20 | W400 | 4 | 8 | 6 | 288 |
| | | | | | | | | | | | | | | | | | | | |
| <2 | <2 | | <2 | | | | | | | | | | | | | | | | |
| <2 | 10 | 2 | | <2 | <2 | <2 | 2 | <2 | <2 | <2 | 8 | >400 | 2 | <2 | W400 | <2 | <2 | <2 | >400 |
| | | | | | | | | | | | | | | | | | | | |
| 4 | <2 | | <2 | | | | | | | | | | | | | | | | |
| 10 | <2 | <2 | | 2 | <2 | 2 | <2 | 2 | <2 | 2 | 46 | >400 | 292 | 20 | >400 | 8 | 2 | <2 | >400 |
| | | | | | | | | | | | | | | | | | | | |
| <2 | 10 | | <2 | | | | | | | | | | | | | | | | |
| 2 | 2 | 4 | | <2 | <2 | <2 | 2 | <2 | <2 | 4 | 16 | W400 | 306 | 2 | W400 | <2 | <2 | <2 | 318 |
| | | | | | | | | | | | | | | | | | | | |

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CONF - Confluence
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

