

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 November 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3U	HB3	HB3D	21N
11/1	<2	8	<2	2	<2	4	6	28	<2			2			2			2	4
11/2																			
11/3																			
11/4																			
11/5																			
11/6																			
11/7																			
11/8	214	86	28	46	156	76	98	270	>400	>400	>400	>400	>400	>400	>400	>400	>400	214	14
11/9																			
11/10																			
11/11																			
11/12																			
11/13																			
11/14																			
11/15	44	46	58	8	2	78	2	4	4			14			14			2	6
11/16																			
11/17																			
11/18																			
11/19																			
11/20																			
11/21	18	>400	10	2	4	140	64	10	46			30			8			4	16
11/22						12													
11/23																			
11/24																			
11/25																			
11/26																			
11/27																			
11/28																			
11/29	20	8	12	2	2	<2	8	2	<2			10			4			<2	2
11/30																			
12/1																			

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB4D	HB5U	HB5	HB5D	15N	12N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU
4			4	4	8	8	14	8	2	22									
						16	158	6	12		2	2	<2	<2	<2	4	<2	<2	306
18	>400	>400	>400	142	54	26	158	34	58	42									
						146	118	202	200		86	>400	>400	>400	>400	8	34	50	108
8			14	4	6	24	8	8	4	16									
						2	6	8	6		8	2	4	<2	2	2	2	8	4
14			52	28	48	30	14	6	26	18									
						16	24	14	56		8	28	42	16	18	14	34	40	76
6			8	4	4	<2	4	2	2	14									
						2	2	2	18		10	8	<2	2	4	2	<2	2	<2

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD
>400	>400			6	<2	18	86	16	10	<2	>400	144
>400	186	110	>400	92	62	122	>400	92	78	122	>400	>400
392	8			<2	2	4	66	8	22			<2
>400	68			6	8	14	274	10	162	204	262	34
214	6			2	<2	2	54	2	<2			<2

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.