

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 October 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
10/1																				
10/2																				
10/3	2	4	<2	<2	<2	<2	<2	2	4	<2	<2	<2	<2	<2	<2	2	<2	2	4	
10/4																		<2	<2	
10/5																				
10/6																				
10/7																				
10/8																				
10/9																				
10/10	12	8	10	2	6	<2	8	<2	8	4	<2	4	6	<2	<2	<2	6	6	14	
10/11																		46	32	
10/12																				
10/13																				
10/14																				
10/15																				
10/16																				
10/17	14	<2	<2	2	2	<2	2	2	4	<2	4	<2	<2	4	46	2	4	2	114	
10/18																		2	<2	
10/19																				
10/20																				
10/21																				
10/22																				
10/23																				
10/24	<2	2	2	4	18	<2	10	<2	<2	<2	<2	<2	<2	<2	8	6	2	<2	4	
10/25																		16	4	
10/26																				
10/27																				
10/28																				
10/29																				
10/30																				
10/31	8	6	<2	<2	<2	<2	4	<2	<2	2	2	2	<2	2	4	26	12	8	8	
11/1																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
2	<2		<2																
6	4	160		<2	<2	2	2	2	2	2	22	358	4	<2	<2	<2	136	4	<2
2	4		2																
52	18	34		22	14	2	<2	4	<2	10	8	>400	16	<2	2	<2	356	<2	6
14	<2		<2																
14	<2	<2		<2	<2	<2	4	2	<2	<2	<2	206	4	<2	<2	<2	264	<2	<2
<2	6		2																
2	2	4		6	4	8	4	2	<2	2	4	202	4	2	<2	2	138	<2	<2
<2	<2		<2																

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

