

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 August 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
8/1	>83	500	>33	<17	<17	17	<17	<17	<17	<17	<17	17	17	<17	<17	<17	17	33	130
8/2																		83	17
8/3																			
8/4																			
8/5																			
8/6																			
8/7																			
8/8	67	33	17	<17	<17	<17	<17	<17	17	<17	17	<17	<17	<17	<17	<17	<17	<17	17
8/9																		<17	<17
8/10																			
8/11																			
8/12																			
8/13																			
8/14																			
8/15	>33	150	<17	17	17	17	<17	<17	17	<17	<17	17	<17	17	<17	<17	17	67	180
8/16																		50	350
8/17																			
8/18																			
8/19																			
8/20																			
8/21																			
8/22	CWS	<20	<20	>9200	>6700	3100	200	200	280	440	380	230	330	380	500	>1800	>3200	>4100	>3200
8/23																		300	500
8/24																			
8/25																			
8/26																			
8/27																			
8/28																			
8/29	200	100	100	<17	17	67	<17	<17	<17	50	17	17	<17	17	<17	50	<17	230	180
8/30																		33	100
8/31																			
9/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
17	<17		17																
17	<17	<17		<17	<17	<17	17	<17	17	33	400	>6700	1100			>17	<17	>17	>930
<17	17		<17																
<17	<17	<17		<17	<17	<17	<17	<17	<17	<17	17	>8800	<17	<17	>17000	<17	<17	17	>930
<17	<17		<17																
33	33	<17		<17	<17	<17	<17	<17	<17	<17	>700	>24000	>3100			17	<17	<17	1200
>1600	>1500		CWS																
300	300	>1400		<17	33	<17	<17	33	120	500	200	CWS	>270	100	>15000	>170	67	150	>1800
67	100		<17																
130	33	17		33	<17	17	50	<17	<17	17	300	>2800	500	>17	CWS	>83	17	>17	600

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
33	<17	17	>1000	<17
100	<17			<17
<17	300	300	CWS	300
67	33	50	>2000	33
>17	100	<17	>3200	50

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.