

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 June 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
6/1																			<17	17
6/2																				
6/3																				
6/4																				
6/5																				
6/6																				
6/7	33	50	<17	<17	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	33	<17	
6/8																			<17	<17
6/9																				
6/10																				
6/11																				
6/12																				
6/13																				
6/14	100	150	17	>17	17	17	<17	<17	33	17	<17	<17	<17	<17	<17	<17	33	17	50	
6/15																			<17	<17
6/16																				
6/17																				
6/18																				
6/19																				
6/20																				
6/21	17	33	33	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	
6/22																			17	<17
6/23																				
6/24																				
6/25																				
6/26																				
6/27																				
6/28	83	230	33	<17	<17	<17	<17	17	33	17	33	33	<17	<17	<17	<17	50	83	270	
6/29																			<17	100
6/30																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
<17	<17		>17	<17	<17	<17	<17	17	<17	50	67	>6600	33			<17	<17	<17	>130
<17	<17	<17																	
<17	<17	<17	100	17	<17	<17	<17	<17	<17	<17	17	>8000	<17	<17	5100	<17	<17	<17	CWS
50	130	17																	
100	33		<17	50	<17	<17	<17	33	17	<17	400	15000	<17	<17	5200	17	<17	<17	>260
67	100	<17																	
<17	50		>17	<17	<17	<17	<17	<17	<17	<17	<17	>10000	<17	<17	>6100	17	<17	<17	>1600
<17	<17	50																	
9500	17		>100	<17	<17	<17	<17	<17	<17	33	100	>8000	200			<17	17	<17	>800

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
17	<17			<17
<17	<17			<17
<17	<17			<17
<17	<17	<17	>3200	50
<17	<17			<17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.