

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 May 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
5/1																			
5/2	67	100	<17	<17	<17	17	<17	<17	<17	17	<17	<17	<17	<17	<17	17	33	<17	17
5/3																		<17	50
5/4																			
5/5																			
5/6																			
5/7																			
5/8																			
5/9	130	370	50	<17	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	17	<17	<17
5/10																		<17	<17
5/11																			
5/12																			
5/13																			
5/14																			
5/15																			
5/16	50	120	<17	<17	<17	17	<17	<17	17	<17	17	<17	<17	<17	<17	<17	<17	120	17
5/17																		<17	<17
5/18																			
5/19																			
5/20																			
5/21																			
5/22																			
5/23	180	130	83	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	<17	<17	<17	<17	17	17
5/24																		<17	33
5/25																			
5/26																			
5/27																			
5/28																			
5/29																			
5/30	50	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	50	<17	17	<17
5/31																		67	<17
6/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU	WFC	
<17	17		<17																	
17	<17	<17		<17	<17	17	17	17	<17	17	17	2100	<17	50	>6200	17	<17	3500	>200	
17	33		>500																	
<17	<17	33		130	33	83	33	<17	33	<17	130	4200	<17	50	>5400	<17	<17	33	>6600	
<17	<17		17																	
<17	<17	<17		<17	<17	<17	<17	<17	<17	17	<17	>7000	17	17	>3800	<17	<17	<17	>7400	
<17	17		17																	
17	17	83		<17	<17	<17	<17	<17	<17	<17	33	15000	<17	<17	>14000	50	83	<17	>16000	
<17	<17		50																	
33	<17	17		<17	<17	<17	<17	17	17	<17	270	8800	560	33	>5500	<17	<17	17	9400	

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
380	17	<17	>2900	<17
<17	<17	<17	CWS	33
<17	17	17	>3000	50
17	100	480	>7600	<17
<17	50	120	>7800	500

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.