

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 September 2022

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
9/1																				
9/2																				
9/3																				
9/4																				
9/5																				
9/6	33	<17	<17	120	<17	67	50	33	<17	33	33	33	17	33	17	17	17	50	50	
9/7																		<17	33	
9/8																				
9/9																				
9/10																				
9/11																				
9/12																				
9/13	1600	100	170	<17	17	<17	<17	<17	<17	<17	<17	17	33	17	17	33	67	50	200	
9/14																		83	<17	
9/15																				
9/16																				
9/17																				
9/18																				
9/19																				
9/20	<17	17	100	17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	50	17	
9/21																		<17	17	
9/22																				
9/23																				
9/24																				
9/25																				
9/26																				
9/27	67	33	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	17	220	
9/28																		50	230	
9/29																				
9/30																				
10/1																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
<17	17	17																	
200	<17		33	17	<17	<17	<17	<17	<17	<17	<17	4000	100	500	>14000	<17	<17	100	>5500
<17	<17	<17																	
17	<17		17	<17	<17	<17	<17	<17	<17	<17	17	>5000	>17	<17	>16000	67	<17	33	>1100
<17	<17	17																	
<17	<17		<17	17	<17	<17	<17	17	<17	<17	<17	>200	>50			<17	17	<17	>400
<17	17	<17																	
<17	33		<17	<17	<17	<17	<17	<17	<17	17	17	3400	<17	<17	>24000	<17	<17	<17	200

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

