

**Orange County Sanitation District
Surfzone Bacteriology Monitoring
Fecal Coliform Bacteria (CFU/100 mL)
Daily Monitoring Data
January 2012**

	39N	33N	27N	21N	15N	9N	6N	3N	0	D2	SAR	3S	6S	9S	15S	21S	27S	29S	39S	
1/1																				
1/2																				
1/3	36	<18	36	18	<18	<18	18	<18	18	18 S	<18 S	<18	<18	18	<18	<18	<18	<18	<18	
1/4	18	18	<18	55	55	<18	<18	36	73	<18 S	55 S	73	18	150	18	18	<18	<18	<18	
1/5	<18	<18	<18	18	36	<18	18	<18	55	36 S	18 S	<18	36	18	18	110	<18	18	<18	
1/6	18	<18	36	18	91	36	18	36	180	36 S	<18 S	91	91	<18	55	73	<18	150	<18	
1/7																				
1/8																				
1/9	<18	36	<18	18	18	<18	150	18	<18	18 S	<18 S	<18	<18	18	55	18	<18	<18	<18	
1/10	<18	<18	<18	<18	<18	<18	18	18	<18	<18 S	<18 S	18	55	18	18	<18	36	440	<18	
1/11	<18	<18	<18	<18	36	<18	18	18	<18	18 S	<18 S	<18	<18	<18	36	<18	<18	150	18	
1/12	<18	<18	18	<18	18	18	250	36	<18	18 S	<18 S	18	<18	<18	<18	<18	<18	18	<18	
1/13	<18	<18	<18	36	18	18	<18	91	73	<18 S	<18 S	<18	<18	<18	<18	<18	<18	310	<18	
1/14																				
1/15																				
1/16	18 R	<200 R	<18 R	<18 R	<18 R	<18 R	12000 R	18 R	1200 R	90 S	210 S	<18 R	18 R	<18 R	110 R	<18 R	<18 R	18 R	<18 R	
1/17	<18 R	<18 R	<18 R	18 R	<18 R	<18 R	<18 R	<18 R	130 R	<18 S	73 S	55 R	55 R	36 R	<18 R	<18 R	110 R	18 R	<18 R	
1/18	<18	110	<18	18	18	18	36	160	<18	<18 S	36 S	18	<18	<18	<18	<18	<18	<18	<18	
1/19	<18	<18	<18	18	36	<18	55	36	18	<18 S	540 S	55	36	<18	18	55	<18	<18	<18	
1/20	<18 R	73 R	<18 R	<18 R	36 R	18 R	91 R	55 R	36 R	<18 S	18 S	73 R	91 R	<18 R	36 R	36 R	18 R	<18 R	<18 R	
1/21																				
1/22																				
1/23	55 R	36 R	440 R	18 R	<18 R	54 R	54 R	18 R	<18 R	18 S	36 S	18 R	<18 R	<18 R	<18 R	36 R	<18 R	18 R	<18 R	
1/24	<18 R	<18 R	<18 R	<18 R	<18 R	18 R	<18 R	<18 R	<18 R	36 S	<18 S	18 R	<18 R	<18 R	18 R	<18 R	<18 R	<18 R	<18 R	
1/25	<18 R	<18 R	<18 R	18 R	36 R	36 R	18 R	18 R	18 R	18 S	18 S	<18 R	<18 R	18 R	55 R	<18 R	18 R	<18 R	<18 R	
1/26	18	18	<18	<18	36	18	<18	18	<18	36 S	18 S	180	55	55	<18	<18	<18	<18	<18	
1/27	<18	18	18	<18	55	<18	<18	<18	<18	18 S	<18 S	<18	18	36	18	<18	36	<18	<18	
1/28																				
1/29																				
1/30	<18	<18	18	<18	<18	18	36	<18	<18	<18 S	36 S	<18	<18	<18	250	<18	<18	<18	<18	
1/31	<18	<18	<18	<18	<18	73	<18	<18	18	<18 S	73 S	<18	<18	36	<18	<18	<18	<18	<18	

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

LA - Laboratory Accident

NR - No Results

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.